


Proximity LineCamera

Model Name of LED Light for LCI&LCH

CORETEC INC.




■ Model Name examples

- CLC-LED250-W
Light Width 250mm, White Light, Oblique Lighting
- CLC-LED1000-WC
Light Width 1000mm, White Light, Coaxial Lighting

Proximity LineCamera

System Configuration for LCI&LCH Series

CORETEC INC.



Power source only for camera is available, if any light is not used.

Proximity LineCamera

Combination list for CLI&CLH Series peripherals

CORETEC INC.

Camera Model	Scan Width	① Power Sources		② LED Lighting		
		Power Source for Camera only	Power Source for Camera and Light	Oblique Lighting	Coaxial Lighting	
CLI-□M190CL-××	192mm	CLC-PS50-2	CLI-D150C3-0.38PS50	CLC-LED250-□	CLC-LED250-□C	
CLI-□M285CL-××	288mm		CLI-D150C3-0.50PS50	CLC-LED300-□	CLC-LED300-□C	
CLI-□M385CL-××	385mm		CLI-D150C3-0.63PS50	CLC-LED400-□	CLC-LED400-□C	
CLI-□M480CL-××	481mm		CLI-D150C3-0.88PS50	CLC-LED600-□	CLC-LED600-□C	
CLI-□M575CL-××	577mm		CLI-D150C3-1.00PS50	CLC-LED700-□	CLC-LED700-□C	
CLI-□M670CL-××	674mm		CLI-D150C3-1.13PS50	CLC-LED800-□	CLC-LED800-□C	
CLI-□M770CL-××	770mm		CLC-PS150-1	CLI-D150C3-1.25PS150	CLC-LED900-□	CLC-LED900-□C
CLI-□M865CL-××	866mm			CLI-D150C3-1.38PS150	CLC-LED1000-□	CLC-LED1000-□C
CLI-□M940CL-××	939mm			CLI-D150C3-1.50PS150	CLC-LED1100-□	CLC-LED1100-□C
CLI-□M1060CL-××	1,059mm			CLI-D240C6-0.88PS150	CLC-LED1250-□	CLC-LED1250-□C
CLI-□M1155CL-××	1,155mm	CLI-D240C6-0.88PS150		CLC-LED1250-□	CLC-LED1250-□C	
CLI-□M1250CL-××	1,252mm	CLI-D240C6-1.00PS150		CLC-LED1450-□	CLC-LED1450-□C	
CLI-□M1345CL-××	1,348mm	CLI-D240C6-1.00PS150		CLC-LED1450-□	None	
CLI-□M1445CL-××	1,444mm	CLI-D240C6-1.13PS150		CLC-LED1650-□		
CLI-□M1540CL-××	1,541mm	CLI-D240C6-1.13PS150		CLC-LED1650-□		
CLI-□M1635CL-××	1,637mm	CLI-D240C6-1.25PS150		CLC-LED1800-□		
CLI-□M1730CL-××	1,733mm	CLI-D240C6-1.25PS150	CLC-LED1800-□			
CLI-□M1825CL-××	1,830mm	CLI-D240C6-1.38PS150	CLC-LED2000-□			
CLI-□M1920CL-××	1,926mm	CLI-D240C6-1.50PS150	CLC-LED2150-□			
CLI-□M2020CL-××	2,022mm	CLI-D240C6-1.50PS150	CLC-LED2150-□			
CLI-□M2115CL-××	2,119mm	Please contact us.				
CLI-□M2210CL-××	2,215mm					
CLI-□M2310CL-××	2,311mm					

Cable Length	③ Camera Power Source Cable	④ Light Power Source Cable	⑤ LED Light Control Cable	⑥ USB Cable
		<ul style="list-style-type: none"> Connector on both sides Connector shape : Straight 	<ul style="list-style-type: none"> Connector on both sides Connector shape : Straight 	<ul style="list-style-type: none"> Connector on both sides Connector shape : Straight
3m	XS2W-D421-E81-F	RS232C-9PM-9SM-B-A-3-X-0000000	NEDJ-PS-SB-H15-3	USB-AM-BM-3
5m	XS2W-D421-G81-F	RS232C-9PM-9SM-B-A-5-X-0000000	NEDJ-PS-SB-H15-5	USB-AM-BM-5
7m	XS2W-D421-H81-F	RS232C-9PM-9SM-B-A-7-X-0000000	NEDJ-PS-SB-H15-7	None
10m	XS2W-D421-J81-F	RS232C-9PM-9SM-B-A-10-X-0000000	NEDJ-PS-SB-H15-10	